

## ABSOLUTE FILTERS – FASA

Filter stage: **III**  
 Filtration class: EN ISO 16890 - (ex EN 779: **F**)  
 EN 1822 : **E - H**

Frame: **galvanised steel**  
 Filter medium: **glass microfibre**  
 Separators: **aluminium**  
 Sealant: **polyurethane**  
 Gasket: **Extruded silicone**



EFFICIENCY: EUROVENT		FILTRATION CLASS		
		EN 779	EN 1822	
		98%	≥85%	>99.99%
		F9	E10	H13
Initial pressure drop	Pa	60	120	200
Recommended end pressure drop	Pa	600	600	600
Maximum pressure drop	Pa	100	1000	1000
Temperature	150°C			

FASA	DIMENSIONS		Q. NOM	SURFACE AREA
	Cod.	mm	m³/h	m²
	5.13	287x592x150	800	3.1
	8.13	305x305x150	270	2.2
	9.13	305x610x150	550	4.5
	26.13	592x592x150	1600	6.4
	31.13	610x610x150	1080	9.5
	15.14	457x457x292	1320	10.9
	8.14	305x305x292	750	4
	5.14	287x592x292	1000	8.8
	9.14	305x610x292	1500	9
	26.14	592x592x292	2800	17
	31.14	610x610x292	3000	18
	37.14	762x610x292	4000	25

Filter composition code

FASA

31.13

H13

Dimension Code

Class of filtration