

MICROGLASS POCKET FILTERS – TFV

Filter stage: **II**
 Filtration class: EN ISO 16890 - (ex EN 779: **M - F**)
 Frame: **galvanised steel**
 Filter medium: **microglass wadding**



EFFICIENCY: EUROVENT		55%	65%	85%	95%
FILTRATION CLASS: EN 779		M5	M6	F7	F9
Initial / maximum pressure drop	Pa	120 / 600	130 / 600	150 / 600	170 / 600
Temperature / Relative humidity		90°C / 100%			

	DIMENSIONS		POCKETS	Q. NOM	SURFACE AREA
	Cod.	mm	n°	m³/h	m²
TFV	26.16	592x592x380	6	2100	2.7
	5.16	287x592x380	3	1050	1.3
	18.16	490x592x380	5	1550	2.2
	24.16	592x287x380	6	1050	1.3
	4.16	287x287x380	3	500	0.6
	27.16	592x895x380	6	3100	4.1
	6.16	287x895x380	3	1550	2.0
	19.16	490x895x380	5	2600	3.4
	26.16	592x592x380	8	2800	3.6
	5.16	287x592x380	4	1400	1.8
	18.16	490x592x380	6	2100	2.7
	24.16	592x287x380	8	1400	1.8
	4.16	287x287x380	4	700	0.9
	27.16	592x895x380	8	4200	5.4
	6.16	287x895x380	4	2100	2.7
	19.16	490x895x380	6	3150	4.1
	26.16	592x592x380	10	3400	4.5
	5.16	287x592x380	5	1700	2.3
	18.16	490x592x380	8	2550	3.6
	24.16	592x287x380	10	1700	2.3
4.16	287x287x380	5	850	1.1	
27.16	592x895x380	10	5100	6.7	
6.16	287x895x380	5	2550	3.4	
19.16	490x895x380	8	3800	5.4	

Filter composition code

TFV

26.16

6

M5

Dimension Code

No. pockets

Filtration class

MICROGLASS POCKET FILTERS – TFV

Filter stage: **II**

Filtration class: EN ISO 16890 - (ex EN 779: **M - F**)

Frame: **galvanised steel**

Filter medium: **microglass wadding**



EFFICIENCY: EUROVENT		55%	65%	85%	95%
FILTRATION CLASS: EN 779		M5	M6	F7	F9
Initial / maximum pressure drop	Pa	120 / 600	130 / 600	150 / 600	170 / 600
Temperature / Relative humidity		90°C / 100%			

	DIMENSIONS		POCKETS	Q. NOM	SURFACE AREA
	Cod.	mm	n°	m³/h	m²
TFV	26.20	592x592x535	6	2100	3.8
	5.20	287x592x535	3	1050	1.9
	18.20	490x592x535	5	1550	3.2
	24.20	592x287x535	6	1050	1.8
	4.20	287x287x535	3	500	0.9
	27.20	592x895x535	6	3100	5.8
	6.20	287x895x535	3	1550	2.9
	19.20	490x895x535	5	2600	4.8
	26.20	592x592x535	8	2800	5.1
	5.20	287x592x535	4	1400	2.5
	18.20	490x592x535	6	2100	3.8
	24.20	592x287x535	8	1400	2.5
	4.20	287x287x535	4	700	1.2
	27.20	592x895x535	8	4200	7.7
	6.20	287x895x535	4	2100	3.8
	19.20	490x895x535	6	3150	5.7
	26.20	592x592x535	10	3400	6.4
	5.20	287x592x535	5	1700	3.2
	18.20	490x592x535	8	2550	5.1
	24.20	592x287x535	10	1700	3.2
4.20	287x287x535	5	850	1.6	
27.20	592x895x535	10	5100	9.6	
6.20	287x895x535	5	2550	4.8	
19.20	490x895x535	8	3800	7.7	

Filter composition code

TFV

26.20

6

F7

Dimension Code

No. pockets

Filtration class

MICROGLASS POCKET FILTERS – TFV

Filter stage: **II**
 Filtration class: EN ISO 16890 - (ex EN 779: **M - F**)
 Frame: **galvanised steel**
 Filter medium: **microglass wadding**



EFFICIENCY: EUROVENT		55%	65%	85%	95%
FILTRATION CLASS: EN 779		M5	M6	F7	F9
Initial / maximum pressure drop	Pa	120 / 600	130 / 600	150 / 600	170 / 600
Temperature / Relative humidity		90°C / 100%			

	DIMENSIONS		POCKETS	Q. NOM	SURFACE AREA
	Cod.	mm	n°	m³/h	m²
TFV	26.22	592x592x635	6	2100	4.4
	5.22	287x592x635	3	1050	2.2
	18.22	490x592x635	5	1550	3.7
	24.22	592x287x635	6	1050	2.1
	4.22	287x287x635	3	500	1.0
	27.22	592x895x635	6	3100	6.8
	6.22	287x895x635	3	1550	3.4
	19.22	490x895x635	5	2600	4.8
	26.22	592x592x635	8	2800	6.0
	5.22	287x592x635	4	1400	2.9
	18.22	490x592x635	6	2100	4.4
	24.22	592x287x635	8	1400	2.9
	4.22	287x287x635	4	700	1.4
	27.22	592x895x635	8	4200	9.0
	6.22	287x895x635	4	2100	4.4
	19.22	490x895x635	6	3150	6.7
	26.22	592x592x635	10	3400	7.5
	5.22	287x592x635	5	1700	3.7
	18.22	490x592x635	8	2550	6.0
	24.22	592x287x635	10	1700	3.7
4.22	287x287x635	5	850	1.9	
27.22	592x895x635	10	5100	11.3	
6.22	287x895x635	5	2550	5.6	
19.22	490x895x635	8	3800	9.0	

Filter composition code

TFV

26.22

6

M6

Dimension Code

No. pockets

Filtration class

MICROGLASS POCKET FILTERS – TFV

Filter stage: **II**

Filtration class: EN ISO 16890 - (ex EN 779: **M - F**)

Frame: **galvanised steel**

Filter medium: **microglass wadding**



EFFICIENCY: EUROVENT		55%	65%	85%	95%
FILTRATION CLASS: EN 779		M5	M6	F7	F9
Initial / maximum pressure drop	Pa	120 / 600	130 / 600	150 / 600	170 / 600
Temperature / Relative humidity		90°C / 100%			

	DIMENSIONS		POCKETS	Q. NOM	SURFACE AREA
	Cod.	mm	n°	m³/h	m²
TFV	26.23	592x592x737	6	2800	5.2
	5.23	287x592x737	3	1400	2.6
	18.23	490x592x737	5	2100	4.4
	24.23	592x287x737	6	1400	2.6
	4.23	287x287x737	3	700	1.3
	27.23	592x895x737	6	4200	7.8
	6.23	287x895x737	3	2100	3.9
	19.23	490x895x737	5	3150	6.5
	26.23	592x592x737	8	3400	7.0
	5.23	287x592x737	4	1700	3.5
	18.23	490x592x737	6	2550	5.3
	24.23	592x287x737	8	1700	3.5
	4.23	287x287x737	4	850	1.7
	27.23	592x895x737	8	5100	10.5
	6.23	287x895x737	4	2550	5.2
	19.23	490x895x737	6	3800	7.8
	26.23	592x592x737	10	4250	8.8
	5.23	287x592x737	5	2100	4.4
	18.23	490x592x737	8	3200	6.6
	24.23	592x287x737	10	2100	4.4
4.23	287x287x737	5	1050	2.2	
27.23	592x895x737	10	6350	13.2	
6.23	287x895x737	5	3200	6.6	
19.23	490x895x737	8	4800	9.9	

Filter composition code

